
BELMOPAN


Nom du design	BELMOPAN
Nombre de couleurs	40
Hauteur du rapport	plain
Largeur	3 m | 118.1 inch
Lester	410 g/m² | 12.1 oz/yd²
Composition	100% PESFR
Réduction	1 %
Applications	
Instructions de lavage	
Solidité des couleurs à la lumière	4-5
Certificats de résistance au feu	EN13773-CLASS 1
Caractéristiques acoustiques	.40
Certificats	
Pays d'origine	Belgique

Raadpleeg onze website voor de meest recente versie van de technische fiche: https://dealer.bmfabrics.com/nl/productinfo


bmfabrics

PHOENIX


Plus d'informations et échantillons
www.bmfabrics.com
info@bmfabrics.com
+32 53 60 70 60




A1/ochre




A3/honey




A5/applecinnamon




B1/sage




C/raven




E/nimbus




E15/sedona




E2/sleet




E8/magnet




F/cement




F3/latte




F6/nomad



G2/buttercup



H1/wintersky




H6/niagara


bmfabrics provides a two-year warranty on the technical information stated in our product documentation




H9/olympian




J4/thrush




K/tomato




L/white




L1/snow



L2/egret



M13/peppercorn




M3/blush




N2/hunter




O5/nutria




O6/aloe




P/pristine



P2/pastel




P5/fog




Q3/demitasse


bmfabrics provides a two-year warranty on the technical information stated in our product documentation




Q8/beaverfur




R14/cedar




R3/paprika




R7/gingerspice




S2/picante




T2/artic




T6/ocean



V4/fallenrock



Y0/seafoam



Y8/mineral

bmfabrics provides a two-year warranty on the technical information stated in our product documentation