
MIKADO


Design naam	MIKADO
Aantal kleuren	40
Rapporthoogte	plain
Breedte	3.2 m | 126 inch
Gewicht	250 g/m² | 7.4 oz/yd²
Samenstelling	100% IFRPES
Krimp	1 %
Toepassingen	
Wasinstructies	
Kleurvastheid t.o.v. licht	4
Certificaten brandveiligheid	M1
Akoestische waarden	.80
Certificaten	
Land van oorsprong	China (RP)

Raadpleeg onze website voor de meest recente versie van de technische fiche: https://dealer.bmfabrics.com/nl/productinfo


bmfabrics

PHOENIX


Meer info en stalen
www.bmfabrics.com
info@bmfabrics.com
+32 53 60 70 60




A5/applecinnamon




A7/mustard




C/raven




D1/dahlia




D4/cabernet




E13/storm




E14/quarry




E2/sleet




E7/eiffel




G13/straw




H12/chinablue




H16/foreverblue



I1/denim




I13/bluewingteal




J4/thrush


bmfabrics provides a two-year warranty on the technical information stated in our product documentation




K1/scarlet




K3/chili




L/white




M10/anemone




M19/rosecloud




M3/blush




N/galapagos




N3/jungle




O4/celery




P1/turtledove




P9/biscotti




Q2/mustang



Q4/mulch




R6/tawnyorange




R7/gingerspice


bmfabrics provides a two-year warranty on the technical information stated in our product documentation




S/rust




U11/eggplant




U6/mystical




V/string




V10/driftwood




V6/walnut




V7/falcon



Y3/jade



Y8/mineral



Y9/trellis

bmfabrics provides a two-year warranty on the technical information stated in our product documentation